EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

PUBLISHED BY

THE SOCIETY FOR THE STUDY OF EVOLUTION

Vol. 46 **Subject Index** **1992**

Evolution, 46(6), 1992, pp. 1993–2003

ALGAE

coevolution, biotic interchange, herbivory, kelp, molluscs, 657

environmental heterogeneity, genotype-environment interaction, phenotypic plasticity, species diversity, genetic variation, 561

rRNA, phylogeny, chromophyte algae, 1801

AMPHIBIANS

adaptation, assessment, competition, evolutionarily stable strategy (ESS), frequency-dependent selection, polyphenism, *Scaphiopus multiplicatus*, 1408

development, growth, hybridogenetic, metamorphosis, phenotypic variation, survival, tadpole, *Rana esculenta* complex, 665

genome replacement, gynogenesis, host shift, hybridogenesis, unisexual hybrids, *Ambystoma*, 1935

heterochrony, caenogenesis, limb development, chondrogenesis, *Triturus*, 677

hybrid zone, mating call, premating isolation, reinforcement, speciation, *Bombina*, 595

hybrid zone, spreading rate, paleoecology, North Carolina, disturbance, 930

morphometric shape, development, Anura, 735

repeated sequences, recombination, in situ hybridization, genome evolution, Anura, *Leiopelma hochstetteri*, 1891

ANNELIDS

founder event, speciation, reproductive isolation, chromosomal variation, polychaete, *Nereis, Neanthes*, 1214

ARACHNIDS

sex ratio, chromosome analysis, solitary spider, *Pityohyphantes phrygianus*, 841

BEHAVIOR

bottlenecks, evolutionary constraints, inbreeding depression, speciation, 1399

conflict, relatives, altruism, manipulation, compromise, 1236

dulosis, eusocial evolution, inquilinism, larvae, social parasitism, ants, Hymenoptera, 1605

furanocoumarins, resistance, metabolism, physiology, genetics, heritability, parsnip webworm, *Depressaria pastinacella*, 1373

inclusive fitness, kin selection, Hamilton's rule, altruism, group selection, 376

mating behavior, ethological isolation, gametic isolation, hybrid lethality, hybrid sterility, *Caenorhabditis, Rhabditis, Pelodera*, 585

natural selection, correlational selection, predation, color pattern, antipredator behavior, genetic covariance, Seprentes, *Thamnophis ordinoides*, 1284

song, courtship, acoustic communication, reproductive isolation, speciation, Neuroptera, Chrysopidae, *Chrysoperla*, 31

BIRDS

allometry, body size, mating systems, phylogenetic controls, sexual dimorphism, sexual selection, American blackbirds, Icterinae, 1621

allozymes, drift, gene flow, morphometrics, population structure, selection, *Fringilla coelebs*, 1784

allozymes, morphology, population structure, variation, vocal dialects, rufous-collared sparrows, *Zonotrichia capensis*, 1443

brood parasitism, host defenses, gene flow, allopatric, sympatric, Manitoba, *Molothrus ater, Turdus migratorius, Dendroica petechia*, 334

DNA amplification, PCR, population genetic structure, murre, *Uria lomvia*, 267

heritability, genetic correlations, phenotypic correlations, body size, egg size, maternal effects, foraging, barnacle goose, *Branta leucopsis*, 235

heterozygosity, morphological variability, genetic variability, *Zonotrichia capensis*, 1959

migration, allozyme variability, population genetics, island model, isolation by distance, greywing francolin, 1477

phylogeography, population structure, gene flow, natal homing, matrilines, mitochondrial DNA, 1084

sexual selection, phenotypic plasticity, plumage color, *Ficedula hypoleuca*, 825

BOOK REVIEWS

A Functional Biology of Clonal Animals, 1976

Biogenetische Interphänotypen-Wegweiserdurch die Stammeslinien der Tiere, 1251

Causes of Evolution: A Paleontological Perspective, 578

Evolutionary Biology of Aging, 854

Evolutionary Genetics and Environmental Stress, 1248

Heterochrony: The Evolution of Ontogeny, 1252

Molecular Systematics, 1249

Olduvai Gorge Volume 4. The Skulls, Endocasts, and Teeth of Homo habilis, 580

Plant-Animal Interactions: Evolutionary Ecology in Tropical and Temperate Regions, 1588

The Development and Evolution of Butterfly Wing Patterns, 1981

The Evolution of Parental Care, 852

The Meaning of Evolution: The Morphological Construction and Ideological Reconstruction of Darwin's Theory, 1592

The Process of Fossilization, 1589
The Social Biology of Wasps, 1979

Chromosomal Evolution
allozyme polymorphisms, gametic disequilibrium, multilocus genetic systems, statistical power, 1900
B chromosome, levels of selection, Paternal Sex Ratio (PSR), population structure, selfish DNA, *Nasonia,* 1257
B chromosomes, accumulation mechanisms, heterotic, parasitic, grasshoppers, *Eyprepocnemis plorans,* 529
chromosomal rearrangement, hybrid zone, heterozygote disadvantage, *Sorex araneus,* 1129
chromosomes, inversions, *Drosophila persimilis, Drosophila pseudoobscura,* 1558
chromosome structure, development time, latitudinal cline, diapause, voltinism, grasshopper, *Caledia captiva,* 245
hybrid zone, logistic regression, sex chromosomes, *Mus,* 1146
inversion polymorphisms, cage populations, isofemale vial populations, *Drosophila melanogaster,* 797
lethal allelism, colonization, chromosomal inversions, *Drosophila subobscura,* 1564
retrotransposon, sex chromosomes, pseudoautosomal region, heterochromatin, recombination, deer mouse, 1955

Coevolution
angiosperm evolution, extinction rate, speciation rate, species diversity, 258
biotic interchange, herbivory, kelp, molluscs, 657
community organization, species coexistence, ESS, predator-prey, adaptive surfaces, game theory, Lotka-Volterra competition model, fitness function, niche breadth, 1269
herbivore preference, herbivore performance, herbivore distribution, plant resistance, herbivore interactions, *Uroleucon tissoti, Solidago altissima, Philaenus spumarius, Lepyronia quandrangularis,* 1358
parasites, parthenogenesis, reproductive assurance hypothesis, Red Queen hypothesis, sexual reproduction, 907

Competition
adaptation, assessment, evolutionarily stable strategy (ESS), frequency-dependent selection, polyphenism, *Scaphiopus multiplicatus,* 1408
coevolution, community organization, species coexistence, ESS, predator-prey, adaptive surfaces, game theory, Lotka-Volterra competition model, fitness function, niche breadth, 1269
intrasexual competition, mate choice, sexual dimorphism, sexual selection, coral reef fish, bluehead wrasse, *Thalassoma bifasciatum,* 1421
paternal success, pollen competition, genetic effects, douglas-fir, *Psuedotsuga menziesii,* 846
self-incompatibility, pseudocompatibility, flower abscission, cross-pollination, Agavaceae, *Phormium tenax,* 458
sex ratio, local mate competition, snake, adder, *Vipera berus,* 1549
sperm competition, individual variation, *Scatophaga stercoraria,* 366

Crustaceans
cave, population structure, polymorphism, allozymes, amphipod, *Gammarus minus,* 272
caves, regressive evolution, selection, morphology, springs, *Gammarus minus,* 353
cyclic parthenogenesis, genetic variation, sex ratio, strategies, *Daphnia,* 833
glucosephosphate isomerase, enzyme activity, fitness, temperature, *Gammarus,* 1568

Development
developmental plasticity, echinodermatology, heterochrony, larva, mode of development, phenotypic plasticity, pluteus, echinoid, 972
developmental stability, fluctuating asymmetry, genomic coadaptation, inbreeding, *Apis mellifera,* 753
development time, chromosome structure, latitudinal cline, diapause, voltinism, grasshopper, *Caledia captiva,* 245
dulosis, eusocial evolution, inquilinism, larvae, social parasitism, ants, Hymenoptera, 1605
genetic covariance, genetic correlation, growth, developmental trajectory, pleiotropy, maternal effect, developmental interaction, 495
growth, hybridogenetic, metamorphosis, phenotypic variation, survival, amphibian, tadpole, *Rana esculenta* complex, 665
heterochrony, caenogenesis, limb development, chondrogenesis, *Triturus,* 677
morphometric shape, Anura, 735
mtDNA, marine population dynamics, larval dispersal, *Heliocidaris,* 1299
ontogeny, integration, morphometrics, rodents, 1164
paternity analysis, inbreeding depression, cryptic self-incompatibility, postpollination selection, seed weight, pollen tubes, *Aquilegia caerulea,* 1181
pleiotropy, mutation, reproduction, selection, *Drosophila melanogaster,* 76
protandry, reaction norms, diapause, sexual selection, sex differences, butterflies, 519

Drosophila
allozyme polymorphisms, gametic disequilibrium, multilocus genetic systems, statistical power, 1900
chromosomes, inversions, *Drosophila persimilis, Drosophila pseudoobscura,* 1558
correlated responses, body size, fertility, viability, longevity, 745
habitat selection, oviposition site preferences, cactophilic *Drosophila, Drosophila*-yeast interactions, 1070
inversion polymorphisms, cage populations, isofemale vial populations, *Drosophila melanogaster,* 797
lethal allelism, colonization, chromosomal inversions, *Drosophila subobscura,* 1564
pleiotropy, mutation, reproduction, selection, *Drosophila melanogaster,* 76
polygenic mutation, bristle number, inbreeding, *Drosophila melanogaster,* 300
premating isolation, speciation, preadult experience, host races, body size, cactus, *Drosophila mojavensis,* 1945
sexual isolation, intraspecific variability, biometric genetics, *Drosophila,* 1385

Echinoderms
developmental plasticity, echinodermatology, heterochrony, larva, mode of development, phenotypic plasticity, pluteus, echinoid, 972
gametes, geminate species, hybridization, phylogenies, echinoids, 1579
mtDNA, marine population dynamics, larval dispersal, *Heliocidaris,* 1299

Ecology
coevolution, community organization, species coexistence, ESS, predator-prey, adaptive surfaces, game theory, Lotka-Volterra competition model, fitness function, niche breadth, 1269
extinction, population size fluctuation, genetic variance, variable migration, 608
herbivore preference, herbivore performance, herbivore distribution, plant resistance, herbivore interactions, *Uroleucon tissoti, Solidago altissima, Philaenus spumarius, Lepyronia quandrangularis,* 1358
macroevolution, paleoecology, upland flora, Pennsylvanian, Permian, onshore-offshore hypothesis, 807
pollen dispersal, gene flow, paternity, floral evolution, bumble bee pollination, *Polemonium viscosum,* 1043

Electrophoresis
allozyme frequencies, genetic distance, heavy metals, population structure, serpentine, Caryophyllaceae, *Silene dioica,* 1537
effective population size, genetic drift, tristyly, simulation, *Eichhornia paniculata,* 1875
heterozygosity, founder effect, genetic diversity, simulation models, mosquitofish, *Gambusia,* 477
hybrid zone, mating call, premating isolation, reinforcement, speciation, *Bombina,* 595
mating system, migration, colonization, genetic variation, *F*-statistics, interdemic selection, red howler, 1112

Fish
balancing selection, heterogeneous environment, allozymes, linkage disequilibrium, *F*-statistics, 1642
body armor, prey defenses, unsuccessful predation, differential survival, geographical variability, *Gasterosteus,* 1224
burst speed, locomotor performance, morphological variation, natural selection, performance gradient, vertebral number, *Gasterosteus,* 987
environmental sex determination, temperature-dependent sex determination, thermal effects, frequency-dependent selection, sex ratio evolution, Atlantic silversides, 1722
fitness variation, mating systems, phenotypic evolution, sexual selection, Centrarchidae, *Micropterus dolomieui,* 1740
heterozygosity, founder effect, genetic diversity, simulation models, mosquitofish, *Gambusia,* 477
hybrid zone, parasitism, parasitic specificity, population genetics, teleosteans, helminths, 56
intrasexual competition, mate choice, sexual dimorphism, sexual selection, coral reef fish, bluehead wrasse, *Thalassoma bifasciatum,* 1421
life-history variation, heterozygosity, genetic variation, bony fishes, 576
morphological variation, phenotypic selection, selective predation, vertebral number, *Gasterosteus,* 998
mtDNA, evolution, historical geography, genetic differentiation, phylogenetics, Death Valley, pupfishes, Pisces, Cyprinodontidae, *Cyprinodon,* 193
population genetic differentiation, mtDNA sequence variation, PCR, molecular phylogeny, *Poecilia reticulata,* 1457

Fitness
biased estimates, environmental covariance, quantitative traits, selection gradients, 616
coevolution, community organization, species coexistence, ESS, predator-prey, adaptive surfaces, game theory, Lotka-Volterra competition model, fitness function, niche breadth, 1269
environmental heterogeneity, genotype-environment interaction, phenotypic plasticity, species diversity, genetic variation, 561
evolution of sexual reproduction, cost of meiosis, genetic segregation, 775
fitness functions, gallmakers, natural selection, plant-animal interactions, Insecta, Tephritidae, Asteraceae, *Solidago,* 1674
fitness variation, mating systems, phenotypic evolution, sexual selection, Centrarchidae, *Micropterus dolomieui,* 1740
flower number, inbreeding depression, Michigan, perennial, seed size, self-fertilization, survival, bumblebee, hummingbird, *Lobelia cardinalis, Lobelia siphilitica,* 688
gametophyte, inbreeding depression, mutational load, multilocus selection model, outcrossing, 703
germination date, seedling size, genetic variation, *Erigeron annuus,* 107
germination date, seedling size, phenotypic selection, *Erigeron annuus,* 92
glucosephosphate isomerase, enzyme activity, temperature, *Gammarus,* 1568
growth rate, mtDNA size variation, scallops, 1466
gynodioecy, plant mating systems, *Phacelia linearis,* 1313
inbreeding, gynodioecy, maternal sex, seed quality, *Sidalcea oregana* ssp. *spicata,* 1862
inclusive fitness, kin selection, Hamilton's rule, altruism, group selection, 376
intrasexual competition, mate choice, sexual dimorphism, sexual selection, coral reef fish, bluehead wrasse, *Thalassoma bifasciatum,* 1421
juvenile survival, age of maturation, reproductive rate, body size, life-cycle timing, phenology, seasonality, grasshoppers, 121
life history, offspring fitness, optimal offspring size, phenotypic plasticity, seasonality, grasshoppers, Acrididae, 1553
plant-herbivore interactions, genetic variation, selection, mites, *Tetranychus urticae,* 279
pollination, floral traits, reproductive success, spatial structure, 1030
resistance, genotype × environment interaction, environmental effects, *Solidago altissima, Uroleucon tissoti,* 1230
thermal adaptation, temperature, evolution, environment, bacteria, *Escherichia coli,* 16
Wright's shifting balance, migration, selection, 1972

Gene Flow
allozymes, drift, morphometrics, population structure, selection, *Fringilla coelebs*, 1784
allozymes, *F*-statistics, genetic differentiation, insect population structure, natural selection, *phosphoglucose isomerase, Chrysomela aeneicollis*, 1097
allozymes, migration, genetic distance, genetic drift, population structure, waterstrider, *Aquarius*, 430
brood parasitism, host defenses, allopatric, sympatric, Manitoba, *Molothrus ater, Turdus migratorius, Dendroica petechia*, 334
cave, population structure, polymorphism, allozymes, amphipod, *Gammarus minus*, 272
DNA amplification, PCR, population genetic structure, murre, *Uria lomvia*, 267
genetic structure, spatial autocorrelation, Moran's *I*, 572
mating system, migration, colonization, genetic variation, *F*-statistics, interdemic selection, red howler, 1112
mtDNA, Nematoda, Helminth, Trichostrongylidae, 470
phylogeography, population structure, natal homing, matrilines, mitochondrial DNA, 1084
pollen dispersal, paternity, floral evolution, bumble bee pollination, *Polemonium viscosum*, 1043
polygenic variation, population structure, 412
Wright's shifting balance, group selection, multilocus theory, 551

Gene Regulation
pheromones, renal induction, androgen, evolution, β-glucuronidase, *Mus*, 1

Hybridization
allozyme markers, double fertilization, gynogenesis, haploid-diploid embryos, hemiclonal inheritance, parthenogenesis, polyspermy, 783
chromosomal rearrangement, hybrid zone, heterozygote disadvantage, *Sorex araneus*, 1129
development, growth, hybridogenetic, metamorphosis, phenotypic variation, survival, amphibian, tadpole, *Rana esculenta* complex, 665
gametes, geminate species, phylogenies, echinoids, 1579
genome replacement, gynogenesis, host shift, hybridogenesis, unisexual hybrids, *Ambystoma*, 1935
hybrid zone, logistic regression, sex chromosomes, *Mus*, 1146
hybrid zone, mating call, premating isolation, reinforcement, speciation, *Bombina*, 595
hybrid zone, parasitism, parasitic specificity, population genetics, teleosteans, helminths, 56
hybrid zone, spreading rate, paleoecology, North Carolina, disturbance, 930
mating behavior, ethological isolation, gametic isolation, hybrid lethality, hybrid sterility, *Caenorhabditis, Rhabditis, Pelodera*, 585
phylogenetic systematics, cladistics, hybrids, Acanthaceae, *Aphelandra*, 1329
phylogeny, parthenogenesis, evolution, mtDNA, lizards, *Cnemidophorus*, 184
repeated sequences, recombination, in situ hybridization, genome evolution, Anura, *Leiopelma hochstetteri*, 1891
reproductive isolation, Haldane's rule, hybrid sterility, 1584

Inbreeding
behavior, bottlenecks, evolutionary constraints, inbreeding depression, speciation, 1399
developmental stability, fluctuating asymmetry, genomic coadaptation, *Apis mellifera*, 753
effective population size, 1969
flower number, inbreeding depression, Michigan, perennial, seed size, self-fertilization, survival, bumblebee, hummingbird, *Lobelia cardinalis, Lobelia siphilitica*, 688
gametophyte, inbreeding depression, mutational load, multilocus selection model, outcrossing, 703
gynodioecy, maternal sex, seed quality, *Sidalcea oregana* ssp. *spicata*, 1862
heterosis, inbreeding depression, life-history traits, quantitative genetics, sex ratio, parasitic wasp, Hymenoptera, *Muscidifurax raptor*, 1511
inbreeding depression, outcrossing, selfing, evolutionarily stable strategies (ESS), 557
paternity analysis, inbreeding depression, cryptic self-incompatibility, postpollination selection, seed weight, pollen tubes, *Aquilegia caerulea*, 1181
polygenic mutation, bristle number, *Drosophila melanogaster*, 300

Insects
adaptive radiation, directional selection, evolution, host race, natural selection, 1052
advertisement calls, acoustic communication, geographic variation, pleiotropic effects, speciation, sympatric interactions, 896
allozyme markers, double fertilization, gynogenesis, haploid-diploid embryos, hemiclonal inheritance, parthenogenesis, polyspermy, 783
allozymes, *F*-statistics, gene flow, genetic differentiation, insect population structure, natural selection, *phosphoglucose isomerase, Chrysomela aeneicollis*, 1097
allozymes, migration, gene flow, genetic distance, genetic drift, population structure, waterstrider, *Aquarius*, 430
among-family variation, genetic correlations, genetics of diapause, heterogeneous environments, phenology, seasonal cycles, 1754
B chromosome, levels of selection, Paternal Sex Ratio (PSR), population structure, selfish DNA, *Nasonia*, 1257
B chromosomes, accumulation mechanisms, heterotic, parasitic, grasshoppers, *Eyprepocnemis plorans*, 529
behavior, bottlenecks, evolutionary constraints, inbreeding depression, speciation, 1399
biogeography, mitochondrial DNA, paleoclimate, periodical cicadas, population bottlenecks, *Magicicada*, 845
comparative method, flight design, genetic correlation, mating system, sexual dimorphism, sexual selection, butterflies, 1525
conflict, relatives, altruism, manipulation, compromise, 1236
cryptic female choice, genitalic evolution, lock and key, specific mate recognition, species isolation, beetles, 1774
developmental stability, fluctuating asymmetry, genomic coadaptation, inbreeding, *Apis mellifera*, 753
development time, chromosome structure, latitu-

dinal cline, diapause, voltinism, grasshopper, *Caledia captiva,* 245
dulosis, eusocial evolution, inquilinism, larvae, social parasitism, ants, Hymenoptera, 1605
fecundity, reaction norms, sex allocation, sex ratio, parasitic wasps, Hymenoptera, *Muscidifurax raptor,* 1496
fitness functions, gallmakers, natural selection, plant-animal interactions, Tephritidae, Asteraceae, *Solidago,* 1674
flower number, inbreeding depression, Michigan, perennial, seed size, self-fertilization, survival, bumblebee, hummingbird, *Lobelia cardinalis, Lobelia siphilitica,* 688
furanocoumarins, resistance, metabolism, physiology, behavior, genetics, heritability, parsnip webworm, *Depressaria pastinacella,* 1373
herbivore preference, herbivore performance, herbivore distribution, plant resistance, herbivore interactions, *Uroleucon tissoti, Solidago altissima, Philaenus spumarius, Lepyronia quandrangularis,* 1358
heterosis, inbreeding depression, life-history traits, quantitative genetics, sex ratio, parasitic wasp, Hymenoptera, *Muscidifurax raptor,* 1511
inclusive fitness, kin selection, Hamilton's rule, altruism, group selection, 376
juvenile survival, age of maturation, reproductive rate, body size, life-cycle timing, phenology, seasonality, grasshoppers, 121
life history, offspring fitness, optimal offspring size, phenotypic plasticity, seasonality, grasshoppers, Acrididae, 1553
protandry, reaction norms, development, diapause, sexual selection, sex differences, butterflies, 519
sexual selection, phenotypic selection, selective regimes, local adaptation, selection coefficient, density-dependent selection, mechanisms of selection, sexual dimorphism, parasite load, Trypanosomatidae, *Gerris,* 914
song, courtship, acoustic communication, reproductive isolation, speciation, Neuroptera, Chrysopidae, *Chrysoperla,* 31
sperm competition, individual variation, *Scatophaga stercoraria,* 366

Life History

brood size, costs of reproduction, litter size, *Peromyscus leucopus,* 1848
correlated responses, body size, fertility, viability, longevity, 745
correlated selection, phenotypic selection, plant life history, variable selection pressures, 1658
hermaphrodite, life-history evolution, self-fertilization, *Caenorhabditis elegans,* 1951
heterosis, inbreeding depression, life-history traits, quantitative genetics, sex ratio, parasitic wasp, Hymenoptera, *Muscidifurax raptor,* 1511
juvenile survival, age of maturation, reproductive rate, body size, life-cycle timing, phenology, seasonality, grasshoppers, 121
life-history variation, heterozygosity, genetic variation, bony fishes, 576
offspring fitness, optimal offspring size, phenotypic plasticity, seasonality, grasshoppers, Acrididae, 1553

Mammals

allometry, cranial morphology, factor analysis, morphometric evolution, muroid rodents, 1918
biogeography, maximum likelihood, mtDNA, phylogenetic tree, 1347
brood size, costs of reproduction, life history, litter size, *Peromyscus leucopus,* 1848
chromosomal rearrangement, hybrid zone, heterozygote disadvantage, *Sorex araneus,* 1129
gene regulation, pheromones, renal induction, androgen, evolution, β-glucuronidase, *Mus,* 1
genetic covariance, genetic correlation, growth, developmental trajectory, pleiotropy, maternal effect, developmental interaction, 495
hybrid zone, logistic regression, sex chromosomes, *Mus,* 1146
mating system, migration, colonization, genetic variation, *F*-statistics, interdemic selection, red howler, 1112
ontogeny, integration, morphometrics, rodents, 1164
parapatric divergence, mtDNA sequences, phylogenetics, Andean mice, *Akodon,* 174
retrotransposon, sex chromosomes, pseudoautosomal region, heterochromatin, recombination, deer mouse, 1955

Molecular Evolution

allozyme polymorphisms, genetic disequilibrium, multilocus genetic systems, statistical power, 1900
bacteriophage, cooperation, f1, host-parasite, 882
balancing selection, heterogeneous environment, allozymes, linkage disequilibrium, *F*-statistics, 1642
biogeography, conservation genetics, mitochondrial DNA, molecular clock, molecular systematics, natal homing, *Chelonia agassizi, Chelonia mydas,* 865
biogeography, maximum likelihood, mtDNA, phylogenetic tree, 1347
biogeography, mitochondrial DNA, paleoclimate, periodical cicadas, population bottlenecks, *Magicicada,* 845
DNA amplification, PCR, population genetic structure, murre, *Uria lomvia,* 267
growth rate, mtDNA size variation, scallops, 1466
introgression, chloroplast DNA, ribosomal DNA, Asteraceae, *Helianthus,* 566
mtDNA, evolution, historical geography, genetic differentiation, phylogenetics, Death Valley, pupfishes, Pisces, Cyprinodontidae, *Cyprinodon,* 193
mtDNA, marine population dynamics, larval dispersal, *Heliocidaris,* 1299
mtDNA, Nematoda, Helminth, Trichostrongylidae, 470
parapatric divergence, mtDNA sequences, phylogenetics, Andean mice, *Akodon,* 174
phylogeny, parthenogenesis, evolution, hybridization, mtDNA, lizards, *Cnemidophorus,* 184
phylogeography, population structure, gene flow, natal homing, matrilines, mitochondrial DNA, 1084
population genetic differentiation, mtDNA sequence variation, PCR, molecular phylogeny, *Poecilia reticulata,* 1457
repeated sequences, recombination, in situ hybridization, genome evolution, Anura, *Leiopelma hochstetteri,* 1891
restriction sites, phylogenies, maximum likelihood, 159

rRNA, phylogeny, chromophyte algae, 1801

Molluscs
coevolution, biotic interchange, herbivory, kelp, 657
evolution of sex, outcrossing, aphally, temperature sensitivity, *Bulinus truncatus,* 1698
growth rate, mtDNA size variation, scallops, 1466

Morphology
adaptive radiation, directional selection, evolution, host race, natural selection, insect, 1052
adders, body size, coloration, mating success, sexual selection, snakes, *Vipera berus,* 1220
advertisement calls, acoustic communication, geographic variation, pleiotropic effects, speciation, sympatric interactions, 896
allometry, body size, mating systems, phylogenetic controls, sexual dimorphism, sexual selection, American blackbirds, Icterinae, 1621
allometry, cranial morphology, factor analysis, morphometric evolution, muroid rodents, 1918
allozymes, drift, gene flow, morphometrics, population structure, selection, *Fringilla coelebs,* 1784
allozymes, population structure, variation, vocal dialects, rufous-collared sparrows, *Zonotrichia capensis,* 1443
body armor, prey defenses, unsuccessful predation, differential survival, geographical variability, *Gasterosteus,* 1224
body size, macroevolution, microevolution, 939
burst speed, locomotor performance, morphological variation, natural selection, performance gradient, vertebral number, *Gasterosteus,* 987
cave, population structure, polymorphism, allozymes, amphipod, *Gammarus minus,* 272
caves, regressive evolution, selection, springs, *Gammarus minus,* 353
comparative method, flight design, genetic correlation, mating system, sexual dimorphism, sexual selection, butterflies, 1525
evolutionary constraints, macroevolution, fruit morphology, dispersal syndromes, Markov process, 136
growth, quantitative genetics, constraint, genetic variance, genetic correlation, selection gradient, 954
heritability, genetic correlations, phenotypic correlations, body size, egg size, maternal effects, foraging, barnacle goose, *Branta leucopsis,* 235
heteroblasty, heterochrony, leaf shape, morphometrics, paedomorphosis, plant architecture, plant ontogeny, squash, *Cucurbita,* 1827
heterochrony, caenogenesis, limb development, chondrogenesis, *Triturus,* 677
heterostyly, functional significance, experimental manipulations, pollen transfer, gender measures, reciprocal herkogamy, marker genes, *Eichhornia paniculata,* 43
heterozygosity, morphological variability, genetic variability, *Zonotrichia capensis,* 1959
maternal effects, paternal effects, pollen load, seed quality, seedling vigor, seed weight, 1731
morphological variation, phenotypic selection, selective predation, vertebral number, *Gasterosteus,* 998
morphometric shape, development, Anura, 735
ontogeny, integration, morphometrics, rodents, 1164
pollinator attraction, evolutionarily stable strategy, plant reproduction, dioecy, 1199
premating isolation, speciation, preadult experience, host races, body size, cactus, *Drosophila mojavensis,* 1945
reproductive effort, relative clutch mass, constraints, adaptation, lizard, snake, 828
sexual dimorphism, sexual selection, anthropometrics, natural selection, genetic constraints, 226

Nematoda
hermaphrodite, life-history evolution, self-fertilization, *Caenorhabditis elegans,* 1951
mating behavior, ethological isolation, gametic isolation, hybrid lethality, hybrid sterility, *Caenorhabditis, Rhabditis, Pelodera,* 585
mtDNA, Helminth, Trichostrongylidae, 470

Paleontology
biogeography, mitochondrial DNA, paleoclimate, periodical cicadas, population bottlenecks, *Magicicada,* 845
macroevolution, paleoecology, upland flora, Pennsylvanian, Permian, onshore-offshore hypothesis, 807

Phylogeny
allometry, body size, mating systems, phylogenetic controls, sexual dimorphism, sexual selection, American blackbirds, Icterinae, 1621
balance, extinction rates, speciation rates, species sorting, tree topology, 1818
biogeography, maximum likelihood, mtDNA, phylogenetic tree, 1347
evolutionary constraints, macroevolution, fruit morphology, dispersal syndromes, Markov process, 136
gametes, geminate species, hybridization, echinoids, 1579
gene regulation, pheromones, renal induction, androgen, evolution, β-glucuronidase, *Mus,* 1
mtDNA, evolution, historical geography, genetic differentiation, Death Valley, pupfishes, Pisces, Cyprinodontidae, *Cyprinodon,* 193
parapatric divergence, mtDNA sequences, Andean mice, *Akodon,* 174
parthenogenesis, evolution, hybridization, mtDNA, lizards, *Cnemidophorus,* 184
phylogenetic systematics, cladistics, hybrids, Acanthaceae, *Aphelandra,* 1329
phylogenetic trees, computer simulation, plasmid exchange, bacterial evolution, *Rhizobium,* 641
phylogeography, population structure, gene flow, natal homing, matrilines, mitochondrial DNA, 1084
population genetic differentiation, mtDNA sequence variation, PCR, molecular phylogeny, *Poecilia reticulata,* 1457
restriction sites, maximum likelihood, 159
rRNA, chromophyte algae, 1801
speciation, extinction, null model, coalescent, species diversity, molecular clock, 627

Physiology
alcohol dehydrogenase, anaerobic stress, adaptation, enzyme variation, quantitative genetics, *Trifolium repens,* 721
allozyme frequencies, genetic distance, heavy metals, population structure, serpentine, Caryophyllaceae, *Silene dioica,* 1537

evolution of sex, outcrossing, aphally, temperature sensitivity, *Bulinus truncatus,* 1698
furanocoumarins, resistance, metabolism, behavior, genetics, heritability, parsnip webworm, *Depressaria pastinacella,* 1373
glucosephosphate isomerase, enzyme activity, fitness, temperature, *Gammarus,* 1568
thermal adaptation, temperature, fitness, evolution, environment, bacteria, *Escherichia coli,* 16

PLANTS
alcohol dehydrogenase, anaerobic stress, adaptation, enzyme variation, quantitative genetics, *Trifolium repens,* 721
allozyme frequencies, genetic distance, heavy metals, population structure, serpentine, Caryophyllaceae, *Silene dioica,* 1537
angiosperm evolution, coevolution, extinction rate, speciation rate, species diversity, 258
clones, environment, genotype, sex expression, sexual lability, sexual phenotypes, trioecy, *Atriplex canescens,* 1708
copy number variation, nuclear rDNA variation, restriction site variation, somatic variation, *Trifolium repens,* 1240
correlated selection, phenotypic selection, plant life history, variable selection pressures, 1658
effective population size, genetic drift, electrophoresis, tristyly, simulation, *Eichhornia paniculata,* 1875
evolutionary constraints, macroevolution, fruit morphology, dispersal syndromes, Markov process, 136
fitness functions, gallmakers, natural selection, plant-animal interactions, Insecta, Tephritidae, Asteraceae, *Solidago,* 1674
gene flow, genetic structure, spatial autocorrelation, Moran's *I,* 572
germination date, fitness, seedling size, genetic variation, *Erigeron annuus,* 107
germination date, fitness, seedling size, phenotypic selection, *Erigeron annuus,* 92
herbivore preference, herbivore performance, herbivore distribution, plant resistance, herbivore interactions, *Uroleucon tissoti, Solidago altissima, Philaenus spumarius, Lepyronia quandrangularis,* 1358
heteroblasty, heterochrony, leaf shape, morphometrics, paedomorphosis, plant architecture, plant ontogeny, squash, *Cucurbita,* 1827
inbreeding depression, outcrossing, selfing, evolutionarily stable strategies (ESS), 557
inbreeding, gynodioecy, maternal sex, seed quality, *Sidalcea oregana* ssp. *spicata,* 1862
introgression, chloroplast DNA, ribosomal DNA, Asteraceae, *Helianthus,* 566
macroevolution, paleoecology, upland flora, Pennsylvanian, Permian, onshore-offshore hypothesis, 807
maternal effects, paternal effects, pollen load, seed quality, seedling vigor, seed weight, 1731
paternal success, pollen competition, genetic effects, douglas-fir, *Psuedotsuga menziesii,* 846
phylogenetic systematics, cladistics, hybrids, Acanthaceae, *Aphelandra,* 1329
resistance, genotype × environment interaction, environmental effects, *Solidago altissima, Uroleucon tissoti,* 1230
self-incompatibility, pseudocompatibility, competition, flower abscission, cross-pollination, Agavaceae, *Phormium tenax,* 458
sexual dimorphism, quantitative genetics, *Silene latifolia, Silene alba,* 445

PROKARYOTES
bacteriophage, cooperation, f1, host-parasite, molecular evolution, 882
phylogenetic trees, computer simulation, plasmid exchange, bacterial evolution, *Rhizobium,* 641
thermal adaptation, temperature, fitness, evolution, environment, bacteria, *Escherichia coli,* 16

QUANTITATIVE GENETICS
alcohol dehydrogenase, anaerobic stress, adaptation, enzyme variation, *Trifolium repens,* 721
biased estimates, environmental covariance, fitness, quantitative traits, selection gradients, 616
character displacement, coevolutionarily stable communnities (CSC), evolutionarily stable strategies (ESS), quantitative genetic recursion (QGR), quantitative genetic optimization (QGO), frequency dependent selection, taxon cycles, 317
genetic components of variance and covariance, maximum likelihood, matrix permutation, 1967
genetic covariance, genetic correlation, growth, developmental trajectory, pleiotropy, maternal effect, developmental interaction, 495
genetic variance, genetic covariance, matrix comparisons, sample size, maximum-likelihood estimation, least squares estimation, 1965
genotype-environment interaction, analysis of variance, genetic correlation, heritability, 540
growth, constraint, genetic variance, genetic correlation, selection gradient, 954
heterosis, inbreeding depression, life-history traits, sex ratio, parasitic wasp, Hymenoptera, *Muscidifurax raptor,* 1511
quantitative traits, additive genetic variance, polygenic mutation, neutral theory, random genetic drift, island model, migration, subdivided population, local extinction and colonization, 381
reaction norms, infinite-dimensional traits, quantitative traits, genetic constraints, optimization, heterogeneous environments, 390
sexual dimorphism, plants, *Silene latifolia, Silene alba,* 445
sexual dimorphism, sexual selection, anthropometrics, natural selection, genetic constraints, 226

REPRODUCTION—ANIMAL
allozyme markers, double fertilization, gynogenesis, haploid-diploid embryos, hemiclonal inheritance, parthenogenesis, polyspermy, 783
among-family variation, genetic correlations, genetics of diapause, heterogeneous environments, phenology, seasonal cycles, Insecta, 1754
brood size, costs of reproduction, life history, litter size, *Peromyscus leucopus,* 1848
coevolution, parasites, parthenogenesis, reproductive assurance hypothesis, Red Queen hypothesis, sexual reproduction, 907
cyclic parthenogenesis, genetic variation, sex ratio, strategies, *Daphnia,* 833

developmental plasticity, echinodermatology, heterochrony, larva, mode of development, phenotypic plasticity, pluteus, echinoid, 972
fecundity, lizards, snakes, reptiles, 62
fecundity, reaction norms, sex allocation, sex ratio, parasitic wasps, Hymenoptera, *Muscidifurax raptor,* 1496
fitness variation, mating systems, phenotypic evolution, sexual selection, Centrarchidae, *Micropterus dolomieui,* 1740
genome replacement, gynogenesis, host shift, hybridogenesis, unisexual hybrids, *Ambystoma,* 1935
hermaphrodite, life-history evolution, self-fertilization, *Caenorhabditis elegans,* 1951
juvenile survival, age of maturation, reproductive rate, body size, life-cycle timing, phenology, seasonality, grasshoppers, 121
phylogeny, parthenogenesis, evolution, hybridization, mtDNA, lizards, *Cnemidophorus,* 184
pleiotropy, mutation, selection, *Drosophila melanogaster,* 76
reproductive effort, relative clutch mass, constraints, adaptation, lizard, snake, 828
reproductive isolation, Haldane's rule, hybrid sterility, 1584
song, courtship, acoustic communication, reproductive isolation, speciation, Neuroptera, Chrysopidae, *Chrysoperla,* 31

REPRODUCTION—PLANT
clonal reproduction, colonization, frequency-dependent selection, genetic drift, floral polymorphism, tristyly, *Decodon verticillatus, Lythrum salicaria,* 1014
coadaptation, gametic disequilibrium, outbreeding depression, self-fertilization, 837
cost of reproduction, reciprocal transplants, evolutionary constraints, genetic correlation, heritability, local population differentiation, genotype-environment interaction, maximum-likelihood estimation, *Anthoxanthum odoratum,* 341
dioecy, breeding systems, sex determination, Hawaii, *Wikstroemia,* 207
flower number, inbreeding depression, Michigan, perennial, seed size, self-fertilization, survival, bumblebee, hummingbird, *Lobelia cardinalis, Lobelia siphilitica,* 688
gametophyte, inbreeding depression, mutational load, multilocus selection model, outcrossing, 703
gynodioecy, plant mating systems, *Phacelia linearis,* 1313
heterostyly, functional significance, experimental manipulations, pollen transfer, gender measures, reciprocal herkogamy, marker genes, *Eichhornia paniculata,* 43
mating system, outcrossing rate, protandry, herkogamy, *Clarkia tembloriensis,* 216
pollen dispersal, gene flow, paternity, floral evolution, bumble bee pollination, *Polemonium viscosum,* 1043
pollination, floral traits, reproductive success, fitness, spatial structure, 1030
pollinator attraction, evolutionarily stable strategy, dioecy, 1199

REPTILES
adders, body size, coloration, mating success, sexual selection, snakes, *Vipera berus,* 1220
biogeography, conservation genetics, mitochondrial DNA, molecular clock, molecular systematics, natal homing, *Chelonia agassizi, Chelonia mydas,* 865
fecundity, reproduction, lizards, snakes, 62
natural selection, correlational selection, predation, color pattern, antipredator behavior, genetic covariance, Seprentes, *Thamnophis ordinoides,* 1284
phylogeny, parthenogenesis, evolution, hybridization, mtDNA, lizards, *Cnemidophorus,* 184
reproductive effort, relative clutch mass, constraints, adaptation, lizard, snake, 828
sex ratio, local mate competition, snake, adder, *Vipera berus,* 1549

SELECTION—EXPERIMENTAL
adaptation, assessment, competition, evolutionarily stable strategy (ESS), frequency-dependent selection, polyphenism, *Scaphiopus multiplicatus,* 1408
altruism, group selection, kin selection, population structure, population viscosity, 1492
birth weights, genotype-environment interaction, mean-optimum difference, stabilizing selection, 1574
cavity-nesting species, clutch-size equation, environmental effects on clutch size, evolutionary "steady state," hypothetico-deductive theory, latitudinal variation in clutch size, nest predation hypothesis, trade-off hypotheses, 1581
correlated responses, body size, fertility, viability, longevity, 745
founder event, speciation, reproductive isolation, chromosomal variation, polychaete, *Nereis, Neanthes,* 1214
gametophyte, inbreeding depression, mutational load, multilocus selection model, outcrossing, 703
paternity analysis, inbreeding depression, cryptic self-incompatibility, postpollination selection, seed weight, pollen tubes, *Aquilegia caerulea,* 1181
pleiotropy, mutation, reproduction, *Drosophila melanogaster,* 76
thermal adaptation, temperature, fitness, evolution, environment, bacteria, *Escherichia coli,* 16
Wright's shifting balance, migration, 1972

SELECTION—NATURAL
adaptive radiation, directional selection, evolution, host race, insect, 1052
allozymes, drift, gene flow, morphometrics, population structure, *Fringilla coelebs,* 1784
allozymes, *F*-statistics, gene flow, genetic differentiation, insect population structure, *phosphoglucose isomerase, Chrysomela aeneicollis,* 1097
allozymes, migration, gene flow, genetic distance, genetic drift, population structure, waterstrider, *Aquarius,* 430
balancing selection, heterogeneous environment, allozymes, linkage disequilibrium, *F*-statistics, 1642
B chromosome, levels of selection, Paternal Sex Ratio (PSR), population structure, selfish DNA, *Nasonia,* 1257
biased estimates, environmental covariance, fitness, quantitative traits, selection gradients, 616

burst speed, locomotor performance, morphological variation, performance gradient, vertebral number, *Gasterosteus,* 987
caves, regressive evolution, morphology, springs, *Gammarus minus,* 353
character displacement, coevolutionarily stable communities (CSC), evolutionarily stable strategies (ESS), quantitative genetic recursion (QGR), quantitative genetic optimization (QGO), frequency dependent selection, taxon cycles, 317
clonal reproduction, colonization, frequency-dependent selection, genetic drift, floral polymorphism, tristyly, *Decodon verticillatus, Lythrum salicaria,* 1014
correlated selection, phenotypic selection, plant life history, variable selection pressures, 1658
correlational selection, predation, color pattern, antipredator behavior, genetic covariance, Serpentes, *Thamnophis ordinoides,* 1284
cost of reproduction, reciprocal transplants, evolutionary constraints, genetic correlation, heritability, local population differentiation, genotype-environment interaction, maximum-likelihood estimation, *Anthoxanthum odoratum,* 341
environmental sex determination, temperature-dependent sex determination, thermal effects, frequency-dependent selection, sex ratio evolution, Atlantic silversides, 1722
fitness functions, gallmakers, plant-animal interactions, Insecta, Tephritidae, Asteraceae, *Solidago,* 1674
gene regulation, pheromones, renal induction, androgen, evolution, β-glucuronidase, *Mus,* 1
genetic covariance, genetic correlation, growth, developmental trajectory, pleiotropy, maternal effect, developmental interaction, 495
germination date, fitness, seedling size, phenotypic selection, *Erigeron annuus,* 92
habitat selection, oviposition site preferences, cactophilic *Drosophila, Drosophila*-yeast interactions, 1070
heritability, genetic correlations, phenotypic correlations, body size, egg size, maternal effects, foraging, barnacle goose, *Branta leucopsis,* 235
inclusive fitness, kin selection, Hamilton's rule, altruism, group selection, 376
morphological variation, phenotypic selection, selection predation, vertebral number, *Gasterosteus,* 998
plant-herbivore interactions, genetic variation, mites, *Tetranychus urticae,* 279
polygenic variation, population structure, gene flow, 412
sexual dimorphism, sexual selection, anthropometrics, genetic constraints, 226
small population, genetic variation, conservation genetics, molecular clock, 763
Wright's shifting balance, gene flow, group selection, multilocus theory, 551

Selection—Sexual

adders, body size, coloration, mating success, snakes, *Vipera berus,* 1220
allometry, body size, mating systems, phylogenetic controls, sexual dimorphism, American blackbirds, Icterinae, 1621
comparative method, flight design, genetic correlation, mating system, sexual dimorphism, butterflies, 1525
cryptic female choice, genitalic evolution, lock and key, specific mate recognition, species isolation, beetles, 1774
fitness variation, mating systems, phenotypic evolution, Centrarchidae, *Micropterus dolomieui,* 1740
intrasexual competition, mate choice, sexual dimorphism, coral reef fish, bluehead wrasse, *Thalassoma bifasciatum,* 1421
phenotypic plasticity, plumage color, *Ficedula hypoleuca,* 825
phenotypic selection, selective regimes, local adaptation, selection coefficient, density-dependent selection, mechanisms of selection, sexual dimorphism, parasite load, Trypanosomatidae, *Gerris,* 914
protandry, reaction norms, development, diapause, sex differences, butterflies, 519
sex ratio, chromosome analysis, solitary spider, *Pityohyphantes phrygianus,* 841
sexual dimorphism, anthropometrics, natural selection, genetic constraints, 226
sexual dimorphism, quantitative genetics, plants, *Silene latifolia, Silene alba,* 445

Sex

clones, environment, genotype, sex expression, sexual lability, sexual phenotypes, trioecy, *Atriplex canescens,* 1708
cryptic female choice, genitalic evolution, lock and key, specific mate recognition, species isolation, beetles, 1774
dioecy, breeding systems, sex determination, Hawaii, *Wikstroemia,* 207
environmental sex determination, temperature-dependent sex determination, thermal effects, frequency-dependent selection, sex ratio evolution, Atlantic silversides, 1722
evolution of sex, outcrossing, aphally, temperature sensitivity, *Bulinus truncatus,* 1698
evolution of sexual reproduction, cost of meiosis, genetic segregation, 775
gynodioecy, plant mating systems, *Phacelia linearis,* 1313
inbreeding, gynodioecy, maternal sex, seed quality, *Sidalcea oregana* ssp. *spicata,* 1862
Muller's ratchet, evolution of sex, RNA viruses, 289
pollinator attraction, evolutionarily stable strategy, plant reproduction, dioecy, 1199
sexual isolation, intraspecific variability, biometric genetic, *Drosophila,* 1385

Sex Ratio

B chromosome, levels of selection, Paternal Sex Ratio (PSR), population structure, selfish DNA, *Nasonia,* 1257
chromosome analysis, solitary spider, *Pityohyphantes phrygianus,* 841
cyclic parthenogenesis, genetic variation, strategies, *Daphnia,* 833
environmental sex determination, temperature-dependent sex determination, thermal effects, frequency-dependent selection, sex ratio evolution, Atlantic silversides, 1722

fecundity, reaction norms, sex allocation, parasitic wasps, Hymenoptera, *Muscidifurax raptor,* 1496
heterosis, inbreeding depression, life-history traits, quantitative genetics, parasitic wasp, Hymenoptera, *Muscidifurax raptor,* 1511
local mate competition, snake, adder, *Vipera berus,* 1549
protandry, reaction norms, development, diapause, sexual selection, sex differences, butterflies, 519

Symbiosis
bacteriophage, cooperation, f1, host-parasite, molecular evolution, 882
B chromosomes, accumulation mechanisms, heterotic, parasitic, grasshoppers, *Eyprepocnemis plorans,* 529
brood parasitism, host defenses, gene flow, allopatric, sympatric, Manitoba, *Molothrus ater, Turdus migratorius, Dendroica petechia,* 334
coevolution, parasites, parthenogenesis, reproductive assurance hypothesis, Red Queen hypothesis, sexual reproduction, 907
hybrid zone, parasitism, parasitic specificity, population genetics, teleosteans, helminths, 56
phylogenetic trees, computer simulation, plasmid exchange, bacterial evolution, *Rhizobium,* 641
plant-herbivore interactions, genetic variation, selection, mites, *Tetranychus urticae,* 279
sexual selection, phenotypic selection, selective regimes, local adaptation, selection coefficient, density-dependent selection, mechanisms of selection, sexual dimorphism, parasite load, Trypanosomatidae, *Gerris,* 914

Variation—Genetic
advertisement calls, acoustic communication, geographic variation, pleiotropic effects, speciation, sympatric interactions, 896
alcohol dehydrogenase, anaerobic stress, adaptation, enzyme variation, quantitative genetics, *Trifolium repens,* 721
allozyme frequencies, genetic distance, heavy metals, population structure, serpentine, Caryophyllaceae, *Silene dioica,* 1537
allozymes, *F*-statistics, gene flow, genetic differentiation, insect population structure, natural selection, *phosphoglucose isomerase, Chrysomela aeneicollis,* 1097
allozymes, migration, gene flow, genetic distance, genetic drift, population structure, waterstrider, *Aquarius,* 430
allozymes, morphology, population structure, vocal dialects, rufous-collared sparrows, *Zonotrichia capensis,* 1443
altruism, group selection, kin selection, population structure, population viscosity, 1492
among-family variation, genetic correlations, genetics of diapause, heterogeneous environments, phenology, seasonal cycles, Insecta, 1754
angiosperm evolution, coevolution, extinction rate, speciation rate, species diversity, 258
balance, extinction rates, phylogenies, speciation rates, species sorting, tree topology, 1818
body armor, prey defenses, unsuccessful predation, differential survival, geographical variability, *Gasterosteus,* 1224
caves, regressive evolution, selection, morphology, springs, *Gammarus minus,* 353
copy number variation, nuclear rDNA variation, restriction site variation, somatic variation, *Trifolium repens,* 1240
cost of reproduction, reciprocal transplants, evolutionary constraints, genetic correlation, heritability, local population differentiation, genotype-environment interaction, maximum-likelihood estimation, *Anthoxanthum odoratum,* 341
cyclic parthenogenesis, sex ratio, strategies, *Daphnia,* 833
effective population size, genetic drift, electrophoresis, tristyly, simulation, *Eichhornia paniculata,* 1875
environmental heterogeneity, genotype-environment interaction, phenotypic plasticity, species diversity, 561
extinction, population size fluctuation, variable migration, 608
founder event, speciation, reproductive isolation, chromosomal variation, polychaete, *Nereis, Neanthes,* 1214
furanocoumarins, resistance, metabolism, physiology, behavior, genetics, heritability, parsnip webworm, *Depressaria pastinacella,* 1373
genetic components of variance and covariance, maximum likelihood, matrix permutation, 1967
genetic variance, genetic covariance, matrix comparisons, sample size, maximum-likelihood estimation, least squares estimation, 1965
germination date, fitness, seedling size, *Erigeron annuus,* 107
growth, quantitative genetics, constraint, genetic correlation, selection gradient, 954
habitat selection, oviposition site preferences; cactophilic *Drosophila, Drosophila*-yeast interactions, 1070
herbivore preference, herbivore performance, herbivore distribution, plant resistance, herbivore interactions, *Uroleucon tissoti, Solidago altissima, Philaenus spumarius, Lepyronia quandrangularis,* 1358
heterozygosity, founder effect, genetic diversity, simulation models, mosquitofish, *Gambusia,* 477
heterozygosity, morphological variability, genetic variability, *Zonotrichie capensis,* 1959
hybrid zone, mating call, premating isolation, reinforcement, speciation, *Bombina,* 595
introgression, chloroplast DNA, ribosomal DNA, Asteraceae, *Helianthus,* 566
life-history variation, heterozygosity, bony fishes, 576
mating system, migration, colonization, genetic variation, *F*-statistics, interdemic selection, red howler, 1112
mating system, outcrossing rate, protandry, herkogamy, *Clarkia tembloriensis,* 216
migration, allozyme variability, population genetics, island model, isolation by distance, greywing francolin, 1477
mtDNA, evolution, historical geography, genetic differentiation, phylogenetics, Death Valley, pupfishes, Pisces, Cyprinodontidae, *Cyprinodon,* 193
mtDNA, Nematoda, Helminth, Trichostrongylidae, 470
natural selection, correlational selection, predation,

color pattern, antipredator behavior, genetic covariance, Seprentes, *Thamnophis ordinoides,* 1284
plant-herbivore interactions, selection, mites, *Tetranychus urticae,* 279
polygenic variation, population structure, gene flow, 412
population genetic differentiation, mtDNA sequence variation, PCR, molecular phylogeny, *Poecilia reticulata,* 1457
quantitative traits, additive genetic variance, polygenic mutation, neutral theory, random genetic drift, island model, migration, subdivided population, local extinction and colonization, 381
reaction norms, infinite-dimensional traits, quantitative traits, genetic constraints, optimization, heterogeneous environments, 390
resistance, genotype × environment interaction, environmental effects, *Solidago altissima, Uroleucon tissoti,* 1230
sexual dimorphism, quantitative genetics, plants, *Silene latifolia, Silene alba,* 445
sexual isolation, intraspecific variability, biometric genetics, *Drosophila,* 1385
sexual selection, phenotypic selection, selective regimes, local adaptation, selection coefficient, density-dependent selection, mechanisms of selection, sexual dimorphism, parasite load, Trypanosomatidae, *Gerris,* 914
small population, conservation genetics, molecular clock, 763
sperm competition, individual variation, *Scatophaga stercoraria,* 366

VARIATION—PHENOTYPIC

allozymes, morphology, population structure, vocal dialects, rufous-collared sparrows, *Zonotrichia capensis,* 1443
among-family variation, genetic correlations, genetics of diapause, heterogeneous environments, phenology, seasonal cycles, Insecta, 1754
burst speed, locomotor performance, morphological variation, natural selection, performance gradient, vertebral number, *Gasterosteus,* 987
character displacement, coevolutionarily stable communities (CSC), evolutionarily stable strategies (ESS), quantitative genetic recursion (QGR), quantitative genetic optimization (QGO), frequency dependent selection, taxon cycles, 317
copy number variation, nuclear rDNA variation, restriction site variation, somatic variation, *Trifolium repens,* 1240
developmental plasticity, echinodermatology, heterochrony, larva, mode of development, phenotypic plasticity, pluteus, echinoid, 972
development, growth, hybridogenetic, metamorphosis, phenotypic variation, survival, amphibian, tadpole, *Rana esculenta* complex, 665
environmental heterogeneity, genotype-environment interaction, phenotypic plasticity, species diversity, 561
fitness functions, gallmakers, natural selection, plant-animal interactions, Insecta, Tephritidae, Asteraceae, *Solidago,* 1674
gene regulation, pheromones, renal induction, androgen, evolution, β-glucuronidase, *Mus,* 1
life history, offspring fitness, optimal offspring size, phenotypic plasticity, seasonality, grasshoppers, Acrididae, 1553
maternal effects, paternal effects, pollen load, seed quality, seedling vigor, seed weight, 1731
morphological variation, phenotypic selection, selective predation, vertebral number, *Gasterosteus,* 998
polygenic variation, population structure, gene flow, 412

VIRUSES

Muller's ratchet, evolution of sex, RNA viruses, 289